



Engine and Performance

- ✓ • **Engine:** 1,301cc, 4-stroke, liquid-cooled, 75° V-twin.
- ✓ • **Power:** 180 HP (132 kW) @ 8,870 rpm (claimed).
- ✓ • **Torque:** 106 lb-ft (144 Nm) @ 6,500 rpm (claimed).
- **Bore x Stroke:** 108 mm × 71 mm.
- **Compression Ratio:** 13.2:1.
- **Fuel System:** Keihin EMS with Ride-by-Wire.
- ✓ • **Transmission:** 6-speed.
- **Clutch:** PASC Slipper clutch, hydraulically operated.
- * • **0–100 kph (0–62 mph):** ~2.9 seconds (roughly $10.32 \text{ sec} \frac{1}{4}$)



- **Frame:** Chromium-Molybdenum-Steel trellis frame.
- **Front Suspension:** 48mm WP inverted fork, adjustable compression and rebound.
- **Rear Suspension:** WP Monoshock, adjustable preload, compression, and rebound.
- **Front Brake:** Dual 320mm discs with Brembo 4-piston calipers.
- **Rear Brake:** Single 240mm disc with 2-piston caliper.
- **ABS:** Bosch 9ME Combined-ABS (including cornering ABS and Supermoto mode). [Houston Mot... +4](#)

Dimensions and Capacities

- **Dry Weight:** 189 kg (416.6 lbs).

Ask anything

Q 2014 ktm super duke 1290 r spe



(including cornering ABS and Supermoto mode). Houston Mot... +4

Dimensions and Capacities

- **Dry Weight:** 189 kg (416.6 lbs).
- **Seat Height:** 835 mm (32.9 in).
- **Fuel Capacity:** 18 Litres (4.75 gal).
- **Wheelbase:** 1482 ± 12 mm (58.3 in). Ultimate Mot... +1

Electronics

- **Riding Modes:** Rain, Street, Sport.
- **Traction Control:** Standard (switchable).
- **Stability System:** Bosch MSC (Motorcycle Stability

Ask anything



Q 2014 ktm super d

