

**THORNE EXCAVATING**

624 OLD HORN SPRINGS RD.  
LEBANON, TN. 37087-1811

FAX: 615-444-6523  
PHONE: 615-444-5142  
SAMPLE TYPE: **OIL**  
SAMPLE SHIP TIME (days): 4

COMPANY NAME: THORNE EXCAVATING  
CUSTOMER EQUIP NUM: 1403  
COMPARTMENT NAME: TRANSMISSION POWER SHIFT  
SERIAL NUMBER: LTE00934  
MANUFACTURER: CATERPILLAR  
MODEL: 926M  
JOB SITE:  
EXT WARR NUMBER:

SHOP JOB NUM:  
COMP SERIAL NUM:  
COMPARTMENT MODEL:  
COMP MANUFACTURER:  
SAMPLE LABEL NUM:  
FLUID BRAND/WEIGHT:  
FLUID TYPE:  
EXT WARR EXPIRE DATE:  
FUEL CONSUMED:

Fluids Analysis Laboratory  
1245 Bridgestone Parkway  
La Vergne, TN 37086-3510  
615-259-5811  
www.thompsonmachinery.com



FILTER CHANGED

MAKE UP FLUID

FLUID CHANGED

METER ON FLUID

EQUIPMENT METER

PROCESS DATE

SAMPLE DATE

SAMPLE DATE

LAB CONTROL NUMBER

No

No

169 HR

169 HR

25-Sep-2017

21-Sep-2017

D420-47268-0041

PARTICLE COUNT IS ABOVE RECOMMENDED ISO CODE LEVEL. OTHER READINGS APPEAR TO BE ACCEPTABLE. CONTINUE SAMPLING AT NORMAL INTERVAL.

Monitor Compartment

**Wear Metals (ppm)**

| Cu | Fe | Cr | Al | Pb | Sn | Si | Na | K | B  | Mo | Ni | Ca   | Mg | Zn   | P    | Ba |
|----|----|----|----|----|----|----|----|---|----|----|----|------|----|------|------|----|
| 4  | 24 | 0  | 2  | 2  | 0  | 6  | 9  | 3 | 18 | 2  | 1  | 3326 | 10 | 1175 | 1161 | 4  |

D420-47268-0041

**Oil Condition / Particle Count (cf/ml)**

| W | A | V100 | ISO      | 4µ    | 6µ    | 10µ  | 14µ | 18µ | 21µ | 38µ | 50µ |
|---|---|------|----------|-------|-------|------|-----|-----|-----|-----|-----|
| N | N | 10.0 | 23/21/15 | 50522 | 19882 | 1049 | 305 | 115 | 55  | 3   | 1   |

D420-47268-0041

THORNE EXCAVATING  
624 OLD HORN SPRINGS RD.  
LEBANON, TN. 37087-1811

Ag = Silver, Al = Aluminum, B = Boron, Ca = Calcium, Cr = Chromium, Cu = Copper, Fe = Iron, P = Phosphorus, K = Potassium, Li = Lithium, Mg = Magnesium, Mo = Molybdenum, Na = Sodium, Ni = Nickel, Pb = Lead, Si = Silicon, Sn = Tin, S = Sulphur, V = Vanadium, Zn = Zinc, A = Antifreeze, F = Fuel, W = Water, P = Positive, N = Negative, T = Trace, E = Excessive, NIT = Nitration, OXI = Oxidation, ST = Soot, SUL = Sulfation, ISO = ISO Rating, ISO = Percent Fuel Content, PQI = Particle Quantifying Index, NaW = Sait Water, FL Pt = Flash Point, TAN = Total Acid Number, TBN = Total Base Number, H2O = Karl Fisher result, V100 = Viscosity@100C, V40 = Viscosity@40C, PVI = Particle Volume Indicator

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or a component thereof.

**THORNE EXCAVATING**

624 OLD HORN SPRINGS RD.  
LEBANON, TN. 37087-1811

FAX: 615-444-6523  
PHONE: 615-444-5142

SAMPLE TYPE: **OIL**  
SAMPLE SHIP TIME (days): 4

COMPANY NAME: THORNE EXCAVATING  
CUSTOMER EQUIP NUM: 1403  
COMPARTMENT NAME: DIFFERENTIAL REAR  
SERIAL NUMBER: LTE00934  
MANUFACTURER: CATERPILLAR  
MODEL: 926M  
JOB SITE:  
EXT WARR NUMBER:

SHOP JOB NUM:  
COMP SERIAL NUM:  
COMPARTMENT MODEL:  
COMP MANUFACTURER:  
SAMPLE LABEL NUM:  
FLUID BRAND/WEIGHT:  
FLUID TYPE:  
EXT WARR EXPIRE DATE:  
FUEL CONSUMED:

Fluids Analysis Laboratory  
1245 Bridgestone Parkway  
La Vergne, TN 37086-3510  
615-259-5811  
www.thompsonmachinery.com

LAB CONTROL NUMBER: D420-47288-0014      SAMPLE DATE: 21-Sep-2017      PROCESS DATE: 25-Sep-2017      EQUIPMENT METER: 169 HR      METER ON FLUID: 169 HR      FLUID CHANGED: No      MAKE UP FLUID:      MAKE UP FLUID UNITS:      FILTER CHANGED: No

INITIALLY ELEVATED "BREAK-IN" READINGS WILL USUALLY IMPROVE AFTER THE 2ND, 3RD OIL DRAIN INTERVALS. CONTINUE SAMPLING AT NORMAL INTERVAL.

No Action Required

| Wear Metals (ppm) | Cu  | Fe | Cr | Al | Pb | Sn | Si | Na | K | B | Mo | Ni | Ca   | Mg | Zn   | P    | Ba |
|-------------------|-----|----|----|----|----|----|----|----|---|---|----|----|------|----|------|------|----|
| D420-47288-0014   | 143 | 61 | 1  | 17 | 0  | 0  | 5  | 4  | 3 | 9 | 2  | 1  | 3278 | 13 | 1156 | 1121 | 1  |

| Oil Condition / Particle Count (cf/ml) | W | V100 |
|--|---|------|
| D420-47288-0014                        | N | 10.2 |

Ag = Silver, Al = Aluminum, B = Boron, Ca = Calcium, Cr = Chromium, Cu = Copper, Fe = Iron, P = Phosphorus, K = Potassium, Li = Lithium, Mg = Magnesium, Mo = Molybdenum, Na = Sodium, Ni = Nickel, Pb = Lead, Si = Silicon, Sn = Tin, S = Sulphur, V = Vanadium, Zn = Zinc, A = Antifreeze, F = Fuel, W = Water, P = Positive, N = Negative, T = Trace, E = Excessive, NIT = Nitration, OXI = Oxidation, ST = Soot, SUL = Sulfation, ISO = ISO Rating, PFC = Percent Fuel Content, PQI = Particle Quantifying Index, NaW = Salt Water, FL Pt = Flash Point, TAN = Total Acid Number, TBN = Total Base Number, H2O = Karl Fisher result, V100 = Viscosity@100C, V40 = Viscosity@40C, PVI = Particle Volume Indicator

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or a component thereof.



THORNE EXCAVATING

624 OLD HORN SPRINGS RD.  
LEBANON, TN. 37087-1811

**THORNE EXCAVATING**

624 OLD HORN SPRINGS RD.  
LEBANON, TN. 37087-1811

FAX: 615-444-6523

PHONE: 615-444-5142

SAMPLE TYPE: **OIL**

SAMPLE SHIP TIME (days): 4

COMPANY NAME: THORNE EXCAVATING

CUSTOMER EQUIP NUM: 1403

COMPARTMENT NAME: ENGINE

SERIAL NUMBER: LTE00934

MANUFACTURER: CATERPILLAR

MODEL: 926M

JOB SITE:

EXT WARR NUMBER:

SHOP JOB NUM:

COMP SERIAL NUM:

COMPARTMENT MODEL:

COMP MANUFACTURER:

SAMPLE LABEL NUM:

FLUID BRAND/WEIGHT:

FLUID TYPE:

EXT WARR EXPIRE DATE:

FUEL CONSUMED:

FILTER CHANGED

MAKE UP FLUID

MAKE UP FLUID

FLUID CHANGED

METER ON FLUID

EQUIPMENT METER

PROCESS DATE

SAMPLE DATE

LAB CONTROL NUMBER

No

No

169 HR

169 HR

25-Sep-2017

21-Sep-2017

D420-47268-0001

NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

No Action Required

| Wear Metals (ppm) | Cu | Fe | Cr | Al | Pb | Sn | Si | Na | K | B  | Mo | Ni | Ca   | Mg  | Zn   | P   | Ba |
|-------------------|----|----|----|----|----|----|----|----|---|----|----|----|------|-----|------|-----|----|
| D420-47268-0001   | 16 | 36 | 1  | 5  | 1  | 0  | 6  | 4  | 3 | 76 | 46 | 1  | 1327 | 736 | 1020 | 950 | 2  |

| Oil Condition / Particle Count (cf/ml) | ST | OXI | NIT | SUL | W | A | F | V100 |
|--|----|-----|-----|-----|---|---|---|------|
| D420-47268-0001                        | 15 | 31  | 22  | 0   | N | N | N | 13.6 |

THORNE EXCAVATING  
624 OLD HORN SPRINGS RD.  
LEBANON, TN. 37087-1811

Ag = Silver, Al = Aluminum, B = Boron, Ca = Calcium, Cr = Chromium, Cu = Copper, Fe = Iron, P = Phosphorus, K = Potassium, Li = Lithium, Mg = Magnesium, Mo = Molybdenum, Na = Sodium, Ni = Nickel, Pb = Lead, Si = Silicon, Sn = Tin, S = Sulphur, V = Vanadium, Zn = Zinc, A = Antifreeze, F = Fuel, W = Water, P = Positive, N = Negative, T = Trace, E = Excessive, NIT = Nitration, OXI = Oxidation, ST = Soot, SUL = Sulfation, ISO = ISO Rating, PFC = Percent Fuel Content, PQI = Particle Quantifying Index, NaW = Salt Water, FL Pt = Flash Point, TAN = Total Acid Number, TBN = Total Base Number, H2O = Karl Fisher result, V100 = Viscosity@100C, V40 = Viscosity@40C, PVI = Particle Volume Indicator

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or a component thereof.

**THORNE EXCAVATING**

624 OLD HORN SPRINGS RD.  
LEBANON, TN. 37087-1811

FAX: 615-444-6523  
PHONE: 615-444-5142  
SAMPLE TYPE: **OIL**  
SAMPLE SHIP TIME (days): 4

COMPANY NAME: THORNE EXCAVATING  
CUSTOMER EQUIP NUM: 1403  
COMPARTMENT NAME: HYDRAULIC SYSTEM  
SERIAL NUMBER: LTE0934  
MANUFACTURER: CATERPILLAR  
MODEL: 928M  
JOB SITE:  
EXT WARR NUMBER:

SHOP JOB NUM:  
COMP SERIAL NUM:  
COMPARTMENT MODEL:  
COMP MANUFACTURER:  
SAMPLE LABEL NUM:  
FLUID BRAND/WEIGHT:  
FLUID TYPE:  
EXT WARR EXPIRE DATE:  
FUEL CONSUMED:

Fluids Analysis Laboratory  
1245 Bridgestone Parkway  
La Vergne, TN 37086-3510  
615-259-5811  
www.thompsonmachinery.com



LAB CONTROL NUMBER      SAMPLE DATE      PROCESS DATE      EQUIPMENT METER      METER ON FLUID      FLUID CHANGED      MAKE UP FLUID      MAKE UP FLUID UNITS      FILTER CHANGED

D420-47268-0043      21-Sep-2017      25-Sep-2017      169 HR      169 HR      No      No      No

No Action Required  
NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

B350-45261-0005      04-Sep-2015      18-Sep-2015      2.4 HR      2.4 HR      No      No      Unknown

No Action Required  
MORE SAMPLE HISTORY NEEDED TO ESTABLISH A NORMAL WEAR TREND. NO PROBLEMS PRESENTLY ASSOCIATED WITH THIS SAMPLE. CONTINUE SAMPLING AT THE NORMAL INTERVAL.

| Wear Metals (ppm) | Cu | Fe | Cr | Al | Pb | Sn | Si | Na | K | B | Mo | Ni | Ag | Ti | V | Mn | Cd | Ca  | Mg | Zn  | P   | Ba |
|-------------------|----|----|----|----|----|----|----|----|---|---|----|----|----|----|---|----|----|-----|----|-----|-----|----|
| D420-47268-0043   | 5  | 3  | 0  | 1  | 3  | 0  | 1  | 4  | 2 | 9 | 1  | 1  |    |    |   |    |    | 226 | 2  | 923 | 781 | 1  |
| B350-45261-0005   | 0  | 1  | 0  | 0  | 0  | 0  | 0  | 0  | 1 | 0 | 0  | 0  | 0  | 0  | 0 | 0  | 0  | 179 | 1  | 892 | 691 | 0  |

| Oil Condition / Particle Count (ct/ml) | ST | OXI | NIT | SUL | W | A | V100 | ISO      | 4µ    | 6µ   | 10µ | 14µ | 18µ | 21µ | 38µ | 50µ |
|--|----|-----|-----|-----|---|---|------|----------|-------|------|-----|-----|-----|-----|-----|-----|
| D420-47268-0043                        | 0  | 4   | 2   | 14  | N | N | 8.4  | 22/18/14 | 23437 | 2043 | 244 | 97  | 48  | 26  | 4   | 2   |
| B350-45261-0005                        | 0  | 4   | 2   | 14  | N | N | 6.8  | 19/13    | 27810 | 4587 | 292 | 62  | 24  | 15  | 4   | 2   |

THORNE EXCAVATING  
624 OLD HORN SPRINGS RD.  
LEBANON, TN. 37087-1811

Ag = Silver, Al = Aluminum, B = Boron, Ca = Calcium, Cr = Chromium, Cu = Copper, Fe = Iron, P = Phosphorus, K = Potassium, Li = Lithium, Mg = Magnesium, Mo = Molybdenum, Na = Sodium, Ni = Nickel, Pb = Lead, Si = Silicon, Sn = Tin, S = Sulphur, V = Vanadium, Zn = Zinc, A = Antifreeze, F = Fuel, W = Water, P = Positive, N = Negative, T = Trace, E = Excessive, NIT = Nitration, OXI = Oxidation, ST = Soot, SUL = Sulfation, ISO = ISO Rating, PFC = Percent Fuel Content, PQI = Particle Quantifying Index, NaW = Salt Water, FL Pt = Flash Point, TAN = Total Acid Number, TBN = Total Base Number, H2O = Karl Fisher result, V100 = Viscosity@100C, V40 = Viscosity@40C, PVI = Particle Volume Indicator

Notice: This analysis is intended as an aid in predicting mechanical wear. No guarantee, expressed or implied, is made against failure of this piece of equipment or a component thereof.

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

|  |   |  |
|--|---|--|
| <b>EQUIPMENT INFORMATION</b><br>EQUIP. # <u>1403</u><br>MAKE <u>CAT</u><br>MODEL <u>926M</u><br>SERIAL # <u>LTE00934</u><br>HOUR METER <u>169 HRS</u><br>MILES _____ | <b>EQUIPMENT DOWNTIME</b><br>HOURS _____ DAYS _____<br>REASON _____<br>PARTS _____ LABOR _____<br>OTHER _____ | <b>COMPONENT CODES</b><br>BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS<br>POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED<br><b>COMPONENT LOCATION</b><br>FRONT REAR LEFT RIGHT UPPER LOWER<br>OTHER _____ |
|--|---|--|

|   |  |                                  |            |
|---|--|----------------------------------|------------|
| REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED<br>OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH<br>SMOKES SHORTED VIBRATE OTHER _____ | DATE: _____ DATE COMPLETED <u>10-2-17</u><br>MECHANIC <u>ALL</u> | JOB NAME/LOCATION<br><u>Ship</u> | JOB NUMBER |
|---|--|----------------------------------|------------|

PROBLEM: broken speed sensor  
missing window

REPAIRED: changed engine oil + filter, replaced broken  
speed sensor, replaced missing window

PARTS: speed sensor 87.00 Thompson  
238-0120  
oil Filter + sample bottles 157.70 Thompson  
window 150.00 Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE CAT

MODEL 926m

SERIAL # \_\_\_\_\_

HOUR METER 600 HRS

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

#### REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

#### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: \_\_\_\_\_ DATE COMPLETED 2-26-18

MECHANIC Charles

JOB NAME/LOCATION

JOB NUMBER

Shop

PROBLEM: change oil

REPAIRED: changed oil & fuel filters

PARTS: Oil & Fuel filters 103.<sup>00</sup> Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403  
MAKE CAT  
MODEL 926M  
SERIAL # \_\_\_\_\_  
HOUR METER 1500 HRS  
MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_  
REASON \_\_\_\_\_  
PARTS \_\_\_\_\_ LABOR \_\_\_\_\_  
OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS  
POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED  
COMPONENT LOCATION  
FRONT REAR LEFT RIGHT UPPER LOWER  
OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED  
OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH  
SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: 11-20-18 DATE COMPLETED 11-27-18  
MECHANIC James + Charles

JOB NAME/LOCATION

JOB NUMBER

Shop

PROBLEM: Service

REPAIRED: serviced

PARTS: All Filters 433.64 Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE CAT

MODEL 926m

SERIAL # \_\_\_\_\_

HOURLY METER ZK NRS

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: 7-17-19 DATE COMPLETED 7-20-19

MECHANIC All

JOB NAME/LOCATION  
Ashland Farms

JOB NUMBER

PROBLEM: Service

REPAIRED: serviced

PARTS: All Filters 463.90 Thompson Machinery

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE Cat

MODEL 926m

SERIAL # \_\_\_\_\_

HOURLY METER 2500 HRS

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

#### REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: \_\_\_\_\_ DATE COMPLETED 9-28-19

MECHANIC Charles

JOB NAME/LOCATION  
Ashland Farms

JOB NUMBER

PROBLEM: Service

REPAIRED: serviced

PARTS: All Filters 466.4E Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE CAT

MODEL 926m

SERIAL # \_\_\_\_\_

HOURLY METER \_\_\_\_\_

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: \_\_\_\_\_ DATE COMPLETED 1-14-2020

MECHANIC Charles

JOB NAME/LOCATION

JOB NUMBER

Jones Brummett

PROBLEM: Temp sensor bad

REPAIRED: replaced sensor & reset

PARTS: sensor

49.51

Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE Cat

MODEL 926M

SERIAL # \_\_\_\_\_

HOURLY METER 3K HRS

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: 1-30-2020 DATE COMPLETED 2-3-2020

MECHANIC Charles

JOB NAME/LOCATION  
Jones Brummett

JOB NUMBER

PROBLEM: Service

REPAIRED: Serviceed

PARTS: All Filters

414.28

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE CAT

MODEL 926M

SERIAL # \_\_\_\_\_

HOURLY METER \_\_\_\_\_

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

#### REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: \_\_\_\_\_ DATE COMPLETED 4-3-2020

MECHANIC All

JOB NAME/LOCATION

JOB NUMBER

Jones Brummett

PROBLEM: Detoxing cab

REPAIRED: replaced cab filters

PARTS: cab filters      \$110.50      Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

|  |   |   |
|--|---|---|
| <b>EQUIPMENT INFORMATION</b><br>EQUIP. # <u>1403</u><br>MAKE <u>CAT</u><br>MODEL <u>926m</u><br>SERIAL # _____<br>HOUR METER <u>3,500 HRS</u><br>MILES _____ | <b>EQUIPMENT DOWNTIME</b><br>HOURS _____ DAYS _____<br>REASON _____<br>PARTS _____ LABOR _____<br>OTHER _____ | <b>COMPONENT CODES</b><br>BASIC MACHINE    HYDRAULIC    ENGINE    IMPLEMENTS<br>POWER TRAIN    ELECTRIC    DRIVE TRAIN    UNEXPLAINED<br><b>COMPONENT LOCATION</b><br>FRONT    REAR    LEFT    RIGHT    UPPER    LOWER<br>OTHER _____ |
|--|---|---|

|  |   |                                  |            |
|--|---|----------------------------------|------------|
| REASON FOR FAILURE:    BROKEN    WORN    ABUSE    LOOSE    SEIZED<br>OVERHEAT    PLANNED    CONTAM    LEAKING    NOISY    SCRATCH<br>SMOKES    SHORTED    VIBRATE    OTHER _____ | DATE: <u>5-21-20</u> DATE COMPLETED <u>5-29-20</u><br>MECHANIC <u>All</u> | JOB NAME/LOCATION<br><u>Shop</u> | JOB NUMBER |
|--|---|----------------------------------|------------|

PROBLEM: Service

---

---

REPAIRED: Service'd

---

---

---

---

---

---

---

---

PARTS: All Filters                      443.92                      Thompson

---

---

---

---

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403  
MAKE CAT  
MODEL 926M  
SERIAL # \_\_\_\_\_  
HOUR METER \_\_\_\_\_  
MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_  
REASON \_\_\_\_\_  
PARTS \_\_\_\_\_ LABOR \_\_\_\_\_  
OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS  
POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER  
OTHER \_\_\_\_\_  
\_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED  
OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH  
SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: \_\_\_\_\_ DATE COMPLETED 6-29-20  
MECHANIC Ben

JOB NAME/LOCATION

JOB NUMBER

Jones Brunnet

PROBLEM: Transmission lines leaking

REPAIRED: replaced two transmission lines

PARTS: 2 Hoses

129.<sup>45</sup>

Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE CAT

MODEL 926M

SERIAL # \_\_\_\_\_

HOUR METER 4000 HRS

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: 2-2-21 DATE COMPLETED 2-4-21

MECHANIC ALL

JOB NAME/LOCATION

Shop

JOB NUMBER

PROBLEM: Service

REPAIRED: serviced & washed  
replaced RT panel hinge

PARTS: All Filters 375.<sup>50</sup>

Hinge & studs 49.<sup>91</sup>

Thompson  
Thompson

# TEC

## THORNE'S EXCAVATING COMPANY, LLC SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE CAT

MODEL 926M

SERIAL # \_\_\_\_\_

HOURLY METER \_\_\_\_\_

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

#### REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: \_\_\_\_\_ DATE COMPLETED 2-12-21

MECHANIC Ben & Caleb

JOB NAME/LOCATION

JOB NUMBER

PROBLEM: blown Hose

REPAIRED: replaced transmission hose

PARTS: hose assembly 197.18 Thompson  
353-5191

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE Cat

MODEL 926m

SERIAL # \_\_\_\_\_

HOURLY METER 4500 HRS

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: 4-21-21 DATE COMPLETED 4-29-21

MECHANIC Ben

JOB NAME/LOCATION \_\_\_\_\_ JOB NUMBER \_\_\_\_\_

Eastgate

PROBLEM: Service

REPAIRED: serviced

PARTS: All Filters 375.51 Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403  
MAKE CAT  
MODEL 926m  
SERIAL # \_\_\_\_\_  
HOUR METER \_\_\_\_\_  
MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_  
REASON \_\_\_\_\_  
PARTS \_\_\_\_\_ LABOR \_\_\_\_\_  
OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS  
POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER  
OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED  
OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH  
SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: \_\_\_\_\_ DATE COMPLETED 5-27-21  
MECHANIC Ben

JOB NAME/LOCATION Eastgate JOB NUMBER \_\_\_\_\_

PROBLEM: broken left mirror

REPAIRED: replaced mirror

PARTS: Mirror 189.64 Thompson

# TEC

## THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE CAT

MODEL 926M

SERIAL # \_\_\_\_\_

OUR METER 4,800 HRS

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

REASON \_\_\_\_\_

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: 8-24-21 DATE COMPLETED 8-26-21

MECHANIC Ben

JOB NAME/LOCATION

Mr Harry To Shop

JOB NUMBER

PROBLEM: boom arm won't lift

REPAIRED: replaced pilot inlet solenoid assembly

PARTS: solenoid valve

193.90

Thompson

251-3268

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403  
MAKE CAT  
MODEL 926M  
SERIAL # \_\_\_\_\_  
HOUR METER \_\_\_\_\_  
MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_  
REASON \_\_\_\_\_  
PARTS \_\_\_\_\_ LABOR \_\_\_\_\_  
OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS  
POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER  
OTHER \_\_\_\_\_  
\_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED  
OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH  
SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: \_\_\_\_\_ DATE COMPLETED 8.30.21

MECHANIC Ben

JOB NAME/LOCATION Cave station

JOB NUMBER \_\_\_\_\_

PROBLEM: blown quick disconnect hose

REPAIRED: replaced hose

PARTS: hose assembly 80.00 Creeks

# TEC

THORNE'S EXCAVATING COMPANY, LLC  
SINCE 1963

| EQUIPMENT INFORMATION   | EQUIPMENT DOWNTIME      | COMPONENT CODES                              |
|-------------------------|-------------------------|--|
| EQUIP. # <u>1403</u>    | HOURS _____ DAYS _____  | BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS    |
| MAKE <u>CAT</u>         | REASON _____            | POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED |
| MODEL <u>926M</u>       | PARTS _____ LABOR _____ | COMPONENT LOCATION                           |
| SERIAL # _____          | OTHER _____             | FRONT REAR LEFT RIGHT UPPER LOWER            |
| OUR METER <u>5K HRS</u> |                         | OTHER _____                                  |
| MILES _____             |                         |  |

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED  
OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH  
SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: 9-16-21 DATE COMPLETED 10-6-21  
MECHANIC All  
JOB NAME/LOCATION: Shop JOB NUMBER \_\_\_\_\_

PROBLEM: service, A/C not working

REPAIRED: serviced, replaced A/C comp, Accum. & Drier  
cleaned system and charged.

| PARTS:                  | QUANTITY     | PRICE     | REMARKS         |
|-------------------------|--------------|-----------|-----------------|
| <u>All Filters</u>      | <u>365.</u>  | <u>66</u> | <u>Thompson</u> |
| <u>A/C comp + Accum</u> | <u>1116.</u> | <u>83</u> | <u>Thompson</u> |
| <u>Drier + seal</u>     | <u>103.</u>  | <u>14</u> | <u>Thompson</u> |
| <u>All A/C orings</u>   | <u>179.</u>  | <u>67</u> | <u>Thompson</u> |

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

| EQUIPMENT INFORMATION   | EQUIPMENT DOWNTIME                                   | COMPONENT CODES  |
|---|--|--|
| EQUIP. # <u>1403</u>  | HOURS _____ DAYS _____                               | BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS                  |
| MAKE <u>CAT</u>   | REASON   | POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED               |
| MODEL <u>926m</u>   | PARTS _____ LABOR _____                              | COMPONENT LOCATION   |
| SERIAL # _____  | OTHER _____  | FRONT REAR LEFT RIGHT UPPER LOWER                          |
| HOUR METER _____  |  | OTHER _____  |
| MILES _____   |  |  |
| REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED                    |  | DATE: <u>9-6-22</u> DATE COMPLETED <u>9-7-22</u>           |
| OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH                         |  | MECHANIC <u>Ben</u>  |
| SMOKES SHORTED VIBRATE OTHER _____                                    |  | JOB NAME/LOCATION <u>Caver Town Homes</u> JOB NUMBER _____ |
| PROBLEM: <u>boom position sensor</u>                                  |  |  |
| REPAIRED: <u>replaced boom position sensor and ALL power solenoid</u> |  |  |
| PARTS: <u>sensor</u><br><u>power solenoid</u>                         | <u>590.<sup>02</sup></u><br><u>343.<sup>93</sup></u> | <u>Thompson</u><br><u>Thompson</u>                         |

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE CAT

MODEL 926m

SERIAL # \_\_\_\_\_

HOURLY METER 6K HRS

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: 2-16-23 DATE COMPLETED 2-18-23

MECHANIC Anthony

JOB NAME/LOCATION

Steve Trace

JOB NUMBER

PROBLEM: Service

REPAIRED: Service

PARTS:

All Filters

467.<sup>01</sup>

Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC  
SINCE 1963

| EQUIPMENT INFORMATION     | EQUIPMENT DOWNTIME      | COMPONENT CODES                              |
|---------------------------|-------------------------|--|
| EQUIP. # <u>1403</u>      | HOURS _____ DAYS _____  | BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS    |
| MAKE <u>Cat</u>           | REASON _____            | POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED |
| MODEL <u>926M</u>         | PARTS _____ LABOR _____ | COMPONENT LOCATION                           |
| SERIAL # _____            | OTHER _____             | FRONT REAR LEFT RIGHT UPPER LOWER            |
| OUR METER <u>6600 HRS</u> |                         | OTHER _____                                  |
| MILES _____               |                         |  |

|  |   |
|--|---|
| REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED | DATE: <u>5-19-23</u> DATE COMPLETED: <u>5-22-23</u>     |
| OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH      | MECHANIC: <u>Anthony &amp; Brian</u>                    |
| SMOKE SHORTED VIBRATE OTHER _____                  | JOB NAME/LOCATION: <u>Stave TRACE</u> JOB NUMBER: _____ |

PROBLEM: Service

REPAIRED: serviced

PARTS: Filters 512, <sup>22</sup> Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC  
SINCE 1963

| EQUIPMENT INFORMATION       | EQUIPMENT DOWNTIME      | COMPONENT CODES                              |
|-----------------------------|-------------------------|--|
| EQUIP. # <u>1403</u>        | HOURS _____ DAYS _____  | BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS    |
| MAKE <u>CAT</u>             | REASON _____            | POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED |
| MODEL <u>926m</u>           | PARTS _____ LABOR _____ | COMPONENT LOCATION                           |
| SERIAL # _____              | OTHER _____             | FRONT REAR LEFT RIGHT UPPER LOWER            |
| HOUR METER <u>6,800 HRS</u> |                         | OTHER _____                                  |
| MILES _____                 |                         |  |

|  |                                   |                               |
|--|-----------------------------------|-------------------------------|
| REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED | DATE: <u>7-6-23</u>               | DATE COMPLETED: <u>7-8-23</u> |
| OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH      | MECHANIC: <u>James</u>            |                               |
| SMOKES SHORTED VIBRATE OTHER _____                 | JOB NAME/LOCATION: <u>To Shop</u> | JOB NUMBER _____              |

PROBLEM: needs Tires

REPAIRED: replaced three old Tires.  
replaced w/sep filter.

PARTS: 4-20.5 X 25 Westlake 6000 Gateway Tire

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

### EQUIPMENT INFORMATION

EQUIP. # 1403

MAKE Cat

MODEL 926m

SERIAL # \_\_\_\_\_

HOURLY METER \_\_\_\_\_

MILES \_\_\_\_\_

### EQUIPMENT DOWNTIME

HOURS \_\_\_\_\_ DAYS \_\_\_\_\_

#### REASON

PARTS \_\_\_\_\_ LABOR \_\_\_\_\_

OTHER \_\_\_\_\_

### COMPONENT CODES

BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS

POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED

### COMPONENT LOCATION

FRONT REAR LEFT RIGHT UPPER LOWER

OTHER \_\_\_\_\_

REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED

OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH

SMOKES SHORTED VIBRATE OTHER \_\_\_\_\_

DATE: \_\_\_\_\_ DATE COMPLETED 7-13-23

MECHANIC Ben

JOB NAME/LOCATION  
Stave Trace

JOB NUMBER

PROBLEM: \_\_\_\_\_

REPAIRED: Flipped cutting Edge

PARTS: bolts & nuts 132.47 Thompson

# TEC

THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

| EQUIPMENT INFORMATION                              | EQUIPMENT DOWNTIME                                 | COMPONENT CODES                              |  |
|--|--|--|--|
| EQUIP. # <u>1403</u>                               | HOURS _____ DAYS _____                             | BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS    |  |
| MAKE <u>Cat</u>                                    | REASON _____                                       | POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED |  |
| MODEL <u>926m</u>                                  | PARTS _____ LABOR _____                            | COMPONENT LOCATION                           |  |
| SERIAL # _____                                     | OTHER _____  | FRONT REAR LEFT RIGHT UPPER LOWER            |  |
| HOUR METER <u>7k HRS</u>                           |  | OTHER _____                                  |  |
| MILES _____  |  |  |  |
| REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED | DATE: <u>8-28-23</u> DATE COMPLETED <u>8-30-23</u> |  |  |
| OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH      | MECHANIC <u>Anthony &amp; Justin</u>               |  |  |
| SMOKES SHORTED VIBRATE OTHER _____                 | JOB NAME/LOCATION                                  |  |  |
|  | JOB NUMBER   |  |  |
| PROBLEM: <u>Service</u>                            | <u>Shop</u>  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
| REPAIRED: <u>serviced</u>                          |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
| PARTS: <u>filters</u>                              | <u>524.3L</u>                                      |  |  |
|  | <u>Thompson</u>                                    |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

# TEC

## THORNE'S EXCAVATING COMPANY, LLC

SINCE 1963

|                              |                           |  |
|------------------------------|---------------------------|--|
| <b>EQUIPMENT INFORMATION</b> | <b>EQUIPMENT DOWNTIME</b> | <b>COMPONENT CODES</b>                       |
| EQUIP. # <u>1403</u>         | HOURS _____ DAYS _____    | BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS    |
| MAKE <u>CAT</u>              | REASON                    | POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED |
| MODEL <u>926M</u>            | PARTS LABOR               | <b>COMPONENT LOCATION</b>                    |
| SERIAL # _____               | OTHER _____               | FRONT REAR LEFT RIGHT UPPER LOWER            |
| HOUR METER <u>7500 NRS</u>   |                           | OTHER _____                                  |
| MILES _____                  |                           |  |

|  |  |
|--|--|
| REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED | DATE: _____ DATE COMPLETED <u>9-9-24</u> |
| OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH      | MECHANIC <u>Anthony</u>                  |
| SMOKE SHORTED VIBRATE OTHER _____                  | JOB NAME/LOCATION <u>Arthem</u>          |
|  | JOB NUMBER _____                         |

PROBLEM: Service

---

---

---

REPAIRED: Service

---

---

---

---

---

---

---

---

PARTS: Filters Thompson

---

---

---

---

# TEC

## THORNE'S EXCAVATING COMPANY, LLC SINCE 1963

|   |   |  |
|---|---|--|
| <b>EQUIPMENT INFORMATION</b><br>EQUIP. # <u>1403</u><br>MAKE <u>Cat</u><br>MODEL <u>926M</u><br>SERIAL # _____<br>HOUR METER <u>JK NRS</u><br>MILES _____ | <b>EQUIPMENT DOWNTIME</b><br>HOURS _____ DAYS _____<br>REASON _____<br>PARTS _____ LABOR _____<br>OTHER _____ | <b>COMPONENT CODES</b><br>BASIC MACHINE HYDRAULIC ENGINE IMPLEMENTS<br>POWER TRAIN ELECTRIC DRIVE TRAIN UNEXPLAINED<br><b>COMPONENT LOCATION</b><br>FRONT REAR LEFT RIGHT UPPER LOWER<br>OTHER _____ |
| REASON FOR FAILURE: BROKEN WORN ABUSE LOOSE SEIZED<br>OVERHEAT PLANNED CONTAM LEAKING NOISY SCRATCH<br>SMOKES SHORTED VIBRATE OTHER _____                 |   | DATE <u>10-13-25</u> DATE COMPLETED <u>10-20-25</u><br>MECHANIC <u>Ben</u><br>JOB NAME/LOCATION <u>TCAT</u> JOB NUMBER _____   |

PROBLEM: Service

REPAIRED: serviced

PARTS: Filters 593.22 Thompson