



PO Box 1388
Lucedale, MS 39452
601.947.8088

Estimate

Date	Estimate #
1/17/2022	19482

Name / Address
[REDACTED]

Description	Qty	Rate	Total
New 2022 Fryfogle 4-Bolster 20" Drop Plantation Trailer Length - 40' Width - 8' 6" Bolsters Main Frame - 18" Heavy Duty H-Beams with Truss, 6" Center Drop; 7' Steel Front Headboard Bolsters - 10" x 4" x 1/4" Tubing on 11' Centers Bolster Uprights - 5" x 5" x 1/4" Tubing; 45 Degree on Top and Capped; Load Height - #1 - 7'2"; #2, 3, 4 - 9'; Dead Bolster Winches - 4 King Pin - 3/8" Plate with 24" Center Landing Gear - Load Bearing Forward Swing or 2 Speed Suspension - Hutch H-900 Single Point, 50,000 lb Capacity, Under Slung Axle, Over Slung Trunion Axles - 2 - Meritor Drum, 102" Wide, 25,000 lb Capacity Each, Part No. TQ4671L5213 Hubs - Hub Piloted Wheels - 8 - Steel Tires - Customer to Furnish Lights - Sealco Harness, All LED Lights, DOT Legal Brakes - Quick Change Bumper - Heavy Duty Push Bumper, Drag Bar, Grab Bar Color - Primed and Painted Black			
FET			
Approximate Weight is 12,300 lbs. FOB our plant located in Lucedale, MS.			
One (1) Year Main-Frame Warranty			

MERITOR**Trailer Axle Specification Data**

Part Number

TQ4671L5213**AXLE/BEAM INFORMATION**

Axle Model	TQ	
Beam Rating/WT	25,000	0.625
Track	77.5	
Tire Inflation System	WITHOUT	
Top Center Hole	LESS	
Camber	WITHOUT	
Fittings	0	

CAMSHAFT/BRAKE INFORMATION

Brake Type	Q PLUS	
Brake Rating	20K	
Brake Size	16.50X7.00	
Brake Lining	MA212A	
Brake Option		
Cam Length	LONG 24.14	
Brake Clocking	BAR OR BAF 90 BAR	
CamEnclosures	0	
Slack Vendor	NA	LESS
Slack Size	NA	
Chamber Type	LESS	NA
Chamber Size/CPRL	NA	0
Chamber Vendor/VN	NA	NA
Chamber Stroke/BCPR	NA	NA
Spindle Nut Pack	STN EW	

WHEEL END INFORMATION

Wheel Equipment	
Hub Material/VN	
Wheel Stud BC-Pilot	
ABS Ring/Sensor	
Wheel Stud Length	
Bearing Option	
Drum Type	
Wheel Stud Nuts	
Bearing Adjustment	
Wheel Lube Type	
HubCap Lube Type	
HubCapVendor	
HubCap FillPlug	
SeaVendor	
DustShields	

AXLE COMPONENTS

Assy Beam	D46 3273J140	
Camshafts LH/RH	2210E6869	2210D6868
Brake	B21-3222D2006	B21-3222D2006
Slack Adjuster	LESS SLACKS	
Chambers	LESS CHAMBERS	
Nut Pack	STN EW	
Spindle Protector	3280U9069	

WHEEL END COMPONENTS

Hub Assy	
Wheel Seal	
Sensor Assy	
Wheel Lube	
Hubcap	
Dust Shield Module	
Torque Plate LH/RH	
Spindle Nut Module	
Loose Group	
Loose Hardware Kit	

DIMENSIONAL INFORMATION

BSS	71.89
Overall Length	87.13
CBCB	14.71
SCBCP	18.91
BSMS	5.66
CBA	105-00
CSMC	0
NeverSeez	No
Spindle End Plugs	0

SPEC INFORMATION

Customer Drawing	4-36212_95	
Suspension Type		
Ride Height	0	SMC
Suspension Position		
Remarks		
Creation Date	6/2/2006	
Release	28015	
Replaced By		
Replacement Reason		
Status	STANDARD	

Detail		Quantity	
2MERTQ4671L5213	AXLE ASSEMBLY 77.5 TRK, 25K	1	
2BRKNSNB1088KIT 4707 Q	New 16.5 X 7 Meritor Q Plus, 26K Lining	2	
2HUB00050	HUB/DRUM ASSY WEBB 20232VB5T ABS	2	
2RANBTS-3030	SPRING BRAKE, TYPE 30/30	2	
2BRK00002	SLACK AUTO MERITOR A283275H1152S	2	
2BRG00003	OUTER BEARING CONE, HM212049	2	Stemco 7 year warranty
2BRG00004	INNER BEARING CONE, HM218248	2	Stemco 7 year warranty
2OIL00001	GUARDIAN SEAL WHEEL SET 307-0743	2	Stemco 7 year warranty
2STE358-4009	HUBCAP, SENTINAL 358-4009	2	Stemco 7 year warranty
2WHL3009	HUBCAP GASKET 6 HOLE	2	
2BLT00081	BOLT 5/16-18-3/4 FLG SERRATED HEAD GR5	12	
2GRS00008	GREASE; MOBILITH SHC-007 SYNTHETIC	6	
2ABS00004	SENSOR 1FT MW4410328080 90 DEGREE	2	
2ABS00006	CLIP SENSOR MWS8997598154	2	
2ELT-21-175-N-50	WIRE TIE NATURAL 21 IN 50LB	2	
2RPDR103139	SPLIT LOOM 3/8	2	
2BRK00006	BRKT KIT HALDEX 427-10563	2	
2KIC001-00115	FLANGE NUT M22 179933	16	
2NUT00007	NUT, PRO TORQUE, N SPINDLE	2	Stemco 7 year warranty